



IP9171-HP

Fixed Network Camera

Accessories



Ceiling Mount



Pole Mount



Lens Selection



Wall Mount



Wall Mount Enclosure with External IR

IP9171-HP

Fixed Network Camera

Lens Selection



AL-242



AL-243

Item	Number	Description
AL-242	1	CS mount, 12.5 ~ 50 mm, F1.4, P-iris, 1/2.7"
AL-243	1	CS mount, 7~22 mm, F1.4, P-iris, 1/2.7"

IP9171-HP

Fixed Network Camera

Ceiling Mount



Item	Number	Description
AE-237	1	Camera Enclosure with Optional Fiber Media Converter (24VAC Input), IP66, IK10, -20°C ~ 50°C
AE-241	1	Camera Enclosure with Internal IR, PoE Input, IP66, IK10, -20°C ~ 50°C
AE-242	1	Camera Enclosure with Internal IR, UPoE Input, IP66, IK10, -40°C ~ 50°C
AM-11D	1	Ceiling Mount Bracket

IP9171-HP

Fixed Network Camera

Pole Mount-1



Item	Number	Description
AE-237	1	Camera Enclosure with Optional Fiber Media Converter (24VAC Input), IP66, IK10, -20°C ~ 50°C
AE-241	1	Camera Enclosure with Internal IR, PoE Input, IP66, IK10, -20°C ~ 50°C
AE-242	1	Camera Enclosure with Internal IR, UPoE Input, IP66, IK10, -40°C ~ 50°C
AM-313 (v01)	1	Pole Mount Bracket
AM-717 (v01)	1	Junction Box

IP9171-HP

Fixed Network Camera

Pole Mount-2



Item	Number	Description
AE-237	1	Camera Enclosure with Optional Fiber Media Converter (24VAC Input), IP66, IK10, -20°C ~ 50°C
AE-241	1	Camera Enclosure with Internal IR, PoE Input, IP66, IK10, -20°C ~ 50°C
AE-242	1	Camera Enclosure with Internal IR, UPoE Input, IP66, IK10, -40°C ~ 50°C
AM-313 (v01)	1	Pole Mount Bracket

IP9171-HP

Fixed Network Camera

Wall Mount



Item	Number	Description
AE-237	1	Camera Enclosure with Optional Fiber Media Converter (24VAC Input), IP66, IK10, -20°C ~ 50°C
AE-241	1	Camera Enclosure with Internal IR, PoE Input, IP66, IK10, -20°C ~ 50°C
AE-242	1	Camera Enclosure with Internal IR, UPoE Input, IP66, IK10, -40°C ~ 50°C
AM-717 (v01)	1	Junction Box

IP9171-HP

Fixed Network Camera

Wall Mount Enclosure with External IR



Item	Number	Description
AE-237	1	Camera Enclosure with Optional Fiber Media Converter (24VAC Input), IP66, IK10, -20°C ~ 50°C
AM-219	1	L Bracket
AI-104-010	1	-40~50°C, 24W IR LED, 10 degree, 100m, IK10, IP66, 12~24VDC or 24VAC
AI-104-025	1	-40~50°C, 24W IR LED, 25 degree, 50m, IK10, IP66, 12~24VDC or 24VAC in
AI-104-035	1	-40~50°C, 24W IR LED, 35 degree, 25m, IK10, IP66, 12~24VDC or 24VAC in