

Datenblatt Art. 906.000

Data sheet | Fiche technique | Scheda tecnica | Fișa tehnică

STEP Steckdosenleiste

Elektrische Kenngrößen		Electrical parameters	
Nennstrom / Bemessungsspannung	16A / 250V~	Rated current / rated voltage	16A / 250V~
Frequenz	50 Hz	Frequenz	50 Hz
Netzanschluss		Power supply	
Zuleitung		Supply cable	
GST18		GST18	
Ableitung		Through cable	
GST18		GST18	
Stromausgang		Power output	
Steckdosen		Socket outlets	
2x CEE 7/3 (Type F)		2x CEE 7/3 (Type F)	
2-polig mit Schutzkontakt		2-pole with earthing contact	
Mit erhöhtem Berührungsschutz		With shutter	
Schwarz, ähnlich RAL 9005, 35°		Black, similar to RAL 9005, 35°	
16A 250V~, IP20		16A 250V~, IP20	
Funktionsmodule		Function modules	
Custom Module		Custom Modules	
1x Custom Module		1x Custom Module	
Weitere Produkteigenschaften		Further product attributes	
Plattform	Standard (kHE)	Plattform	Standard (kHE)
Material		Material	
Gehäuse: Aluminium, eloxiert		Housing: Aluminium, anodised	
Abdeckung: PA6 GF30 850°C, schwarz ähnlich RAL 9005		Cover: PA6 GF30 850°C, black similar to RAL 9005	
Lieferumfang		Scope of delivery	
1x Steckdosenleiste STEP		1x Power strip STEP	
Im Karton		In carton	
Umgebungsbedingungen		Environmental conditions	
Schutzart	IP20	Protection type	IP20

Konformität / Approbation

Conformity / Approval

Bauart geprüft

IEC 60884, VDE 0620- **Type approved**
1

IEC 60884, VDE 0620-
1

