



TP-Link Omada ES210GMP Netzwerk-Switch Managed Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : TP-Link

Produktfamilie: Omada

Artikel-Code: ES210GMP

Produktname : ES210GMP



TP-Link Omada ES210GMP. Switch-Typ: Managed. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 10. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x. DC input Spannung: 53.5 V. Power over Ethernet (PoE). Wandmontage




Management features		Design	
Switch type *	Managed	Reset button	✓
Quality of Service (QoS) support	✓	Wall mountable	✓
Cloud-managed	✓	Performance	
Ports & interfaces		Fanless	✓
Basic switching RJ-45 Ethernet ports quantity *	10	Power	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power source *	DC
Combo SFP ports quantity	1	Power supply included *	✓
Network		DC input voltage	53.5 V
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x	Input current	2.43 A
10G support *	✗	Power over Ethernet (PoE)	
Port mirroring	✓	Power over Ethernet (PoE) *	✓
Flow control support	✓	Power over Ethernet plus (PoE+) ports quantity	8
Link aggregation	✓	Power over Ethernet (PoE) power per port	30 W
Auto MDI/MDI-X	✓	Total Power over Ethernet (PoE) budget	123 W
Auto-negotiation	✓	Operational conditions	
VLAN support	✓	Operating temperature (T-T)	0 - 40 °C
Virtual LAN features	MTU VLAN, Port-based VLAN, Tagged VLAN	Storage temperature (T-T)	-40 - 70 °C
Optical fiber		Operating relative humidity (H-H)	10 - 90%
Transmission distance (max)	0.25 km	Storage relative humidity (H-H)	5 - 90%
Data transmission		Weight & dimensions	
Switching capacity *	20 Gbit/s	Width	209 mm
Forwarding rate	14.88 Mpps	Depth	126 mm
		Height	26 mm

Data transmission		Packaging content	
MAC address table *	8000 entries	Cables included	AC
Store-and-forward	✓	User guide	✓
Jumbo frames support	✓	Packaging data	
Jumbo frames	15	Package type	Box
Packet buffer memory	4 MB	Certificates	
Security		Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
DHCP features	DHCP client		
IGMP snooping	✓		
Design			
Product colour	Black		



8885020620955



8885020620962

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-JAN-2025. Prints or copies of Information are only valid on the printed Publication date