

ZYXEL

Zyxel GS1100-10HP v2 Unmanaged Gigabit Ethernet
(10/100/1000) Power over Ethernet (PoE) Schwarz

Marke : Zyxel

Artikel-Code: GS1100-10HP-EU0102F

Produktname : GS1100-10HP v2

Zyxel GS1100-10HP v2. Switch-Typ: Unmanaged. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 8000 Eintragungen, Routing-/Switching-Kapazität: 20 Gbit/s. Netzstandard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE.... DC input Spannung: 54 V. Netzstecker: DC-Anschluss. Power over Ethernet (PoE). Wandmontage



Management-Funktionen		Energie	
Switch-Typ *	Unmanaged	DC input Spannung	54 V
Anschlüsse und Schnittstellen		Stromverbrauch (max.)	156,1 W
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Power over Ethernet (PoE)	
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Power over Ethernet (PoE) *	✓
Menge SFP-Modul-Steckplätze	2	Anzahl Power over Ethernet (PoE) Anschlüsse	8
Netzstecker	DC-Anschluss	Gesamtleistung Power over Ethernet (PoE)	130 W
Netzwerk		Betriebsbedingungen	
Netzstandard *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Betriebstemperatur	0 - 50 °C
10G-Unterstützung *	✗	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Ethernet LAN Datentransferraten	100,1000 Mbit/s	Luftfeuchtigkeit bei Lagerung	10 - 95%
Datenübertragung		Wärmeableitung	89 BTU/h
Routing-/Switching-Kapazität *	20 Gbit/s	Gewicht und Abmessungen	
Transferrate	14,88 Mpps	Breite	250 mm
MAC-Adressentabelle *	8000 Eintragungen	Tiefe	104 mm
Jumbo Frames Unterstützung	✓	Höhe	27 mm
Jumbo-Frames	9000	Gewicht	730 g
Datenpaket-Pufferspeicher	0,256 MB	Verpackungsdaten	
Design		Verpackungsbreite	228 mm
Produktfarbe	Schwarz	Verpackungstiefe	304 mm
LED-Anzeigen	✓	Verpackungshöhe	67 mm
Wandmontage	✓	Paketgewicht	1,97 kg
Ursprungsland	China	Nachhaltigkeit	
		Nachhaltigkeitskonformität	✓

Leistungen		Logistikdaten	
Mittlere Betriebsdauer zwischen Ausfällen (MTBF)	1000070 h	Breite des Versandkartons	323 mm
Technische Details		Länge des Versandkartons	558 mm
Konformitätsbescheinigungen	RoHS	Höhe des Versandkartons	275 mm
Energie		Warentarifnummer (HS)	85176990
Energiequelle *	AC/DC	Gewicht Versandkarton	13,7 kg
Netzteil enthalten *	✓	Anzahl Produkte pro Versandkarton	8 Stück(e)
AC Eingangsspannung	100 - 240 V		
AC Eingangsfrequenz	50 - 60 Hz		



4718937621187

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-AUG-2024. Prints or copies of Information are only valid on the printed Publication date